

Allen-Bradley Kinetix 5700 Servo Drive

Helping to Deliver an Innovative Motion Control System

The Kinetix® 5700 helps expand the value of integrated motion on EtherNet/IP to large custom machine builder applications.

With Logix as a single control engine, and one design environment – Studio 5000® – machine builders now have more flexibility to scale, design and control to help meet their needs. The Kinetix 5700 can help reduce commissioning time and improve machine performance. It offers the simplicity, power and space savings you need to help get your machine up and running faster.

The Kinetix 5700 is designed for machines with large axis counts with higher power requirements. It is available in single and dual axis servos with integrated and hardwired Safe Torque-Off.

Features and Benefits

- Features dual axis modules
- Provides a large 1.6 to 60kW power range
- Controls servo and induction motors
- Wide range of feedback types supported
- Includes dual ethernet ports to support linear and device level ring topologies
- Reduces wiring with single cable technology
- Tuning-less commissioning for most axes
- Delivers best-in-class power density that reduces cabinet space requirements
- Offers innovative snapfit bus system
- Capacitor modules help reduce energy consumption
- Extension modules provide installation flexibility



Allen-Bradley Kinetix 5700 Servo Drive

LISTEN.
THINK.
SOLVE.®

Integrated Safety

The Kinetix 5700 servo drive with integrated safety on EtherNet/IP, eliminates the need to separately wire the drive for safety. It reduces overall system wiring, saves time and money in installation and helps remove potential points of failure, thus resulting in less down time and troubleshooting. Integrated safety provides the capability to change the safety zoning and configurations, without needing to physically rewire the devices. Other features:


- Reduces Complexity with a single Network, EtherNet/IP for motion and safety functions
- Use EtherNet/IP to provide rich diagnostic data
- Simplifies zoning and reduces changeover time
- Network or hardwired safety - Safe Torque Off – SIL3 PLe

Advanced tuning

Traditionally, tuning the axis on a machine was a special art. Whether it was commissioning a machine or providing maintenance due to changing mechanics over time — tuning has been a time consuming job. The use of Load Observer real time tuning technology:

- Helps save time by eliminating the need for tuning each axis
- Automatically compensates for unknown mechanics, and compliance – such as in belts, flexible couplings, and shafts
- Automatically adjusts for applications where inertia varies during operation
- Enhances machine performance

The Kinetix 5700 can help reduce commissioning time and improve machine performance.



Kinetix 5700 Target Industries and Applications

The Kinetix 5700 servo drive is a solution for OEMs requiring large, high performance machines with ControlLogix® or CompactLogix™. It is the ideal choice for machine builders that have high axis count and higher power requirements. The Kinetix 5700 with integrated safety, provides added benefits to customers looking for an EtherNet/IP solution for safety. The Kinetix 5700 combines high performance servo and vector motor control, which helps reduce machine complexity and reduces time and labor costs for integration. The Kinetix 5700 helps address complex application needs in a wide variety of industries.

Target Industries:

- Beverage
- Consumer Products
- Food
- Automotive & Tire

Target Segment- Converting Print and Web Handling

- Diaper Machines
- Corrugated Paper Machines
- Wipe and Napkin Machines
- Flexo-folder-glue and Diecutters
- Narrow Web Press
- Tissue Converting
- Wire Rolling machines
- Bag Machines
- Slitter Rewinders
- Coating and Laminating Machines

Target Segment- Manufacturing and Assembly

- Tire Building machines
- Press Feeds
- Conveyors
- Material Handling
- Foundry Pouring Systems

Target Segment- Packaging

- Cartoning
- Pouching
- Tray Loaders
- Case Packing
- Product Distribution Systems
- Baking and Confectionery lines and systems



Kinetix 5700 Power Supply Specifications

Model	Input Voltage	Output Current	Peak Output Current	Module Width
2198-P031	325-528VAC	10A	31A	55mm
2198-P070	325-528VAC	25A	70A	55mm
2198-P141	325-528VAC	47A	141A	85mm
2198-P208	325-528VAC	69A	207A	85mm

Kinetix 5700 Servo Drive Specifications

Model	Output Current (RMS)	Peak Output Current	Power Rating	Module Width
2198-D006-ERS3	2x2.5A	2x6A	2x 1.6 kW	55mm
2198-D012-ERS3	2x5A	2x12A	2x 3.2kW	55mm
2198-D020-ERS3	2x8A	2x20A	2x 5.4 kW	55mm
2198-D032-ERS3	2x13A	2x32A	2x 8 kW	55mm
2198-D057-ERS3	2x23A	2x57A	2x 15 kW	85mm
2198-S086-ERS3	43A	86A	30 kW	85mm
2198-S130-ERS3	65A	130A	45 kW	85mm
2198-S160-ERS3	85A	160A	60 kW	100mm



The innovative snap fit bus system requires no tools and can help you to more easily assemble and install. The Kinetix 5700 also incorporates Load Observer real time tuning technology, yielding high performance control while eliminating the need to tune most axes, thus reducing your commissioning time. DSL Feedback ports support single cable technology and helps simplify wiring with Allen-Bradley® Kinetix VP motors.

For more information visit: <http://ab.rockwellautomation.com/>

Allen-Bradley, LISTEN.THINK SOLVE, Kinetix, Studio 5000, ControlLogix and CompactLogix are trademarks of Rockwell Automation. Trademarks not belonging to Rockwell Automation are property of their respective companies.

www.rockwellautomation.com

Power, Control and Information Solutions Headquarters

Americas: Rockwell Automation, 1201 South Second Street, Milwaukee, WI 53204-2496 USA, Tel: (1) 414.382.2000, Fax: (1) 414.382.4444
 Europe/Middle East/Africa: Rockwell Automation NV, Pegasus Park, De Kleetlaan 12a, 1831 Diegem, Belgium, Tel: (32) 2 663 0600, Fax: (32) 2 663 0640
 Asia Pacific: Rockwell Automation, Level 14, Core F, Cyberport 3, 100 Cyberport Road, Hong Kong, Tel: (852) 2887 4788, Fax: (852) 2508 1846