



## CJ1W-OD212

Digital output unit, 16 x transistor outputs, PNP, 0.5 A, 24 VDC, load short-circuit protection, screw terminal

# Specifications

|                                 |                |
|---------------------------------|----------------|
| I/O system                      | CJ I/O Bus     |
| Expansion unit type             | Basic I/O Unit |
| Type of module                  | Digital I/O    |
| Number of digital inputs        | 0              |
| Digital input type              | None           |
| OFF/ON delay                    | 0-32 ms        |
| Number of digital outputs       | 16             |
| Digital output type             | PNP            |
| Permitted voltage at output     | 20.4-26.4 V    |
| Output current                  | 0.5 A          |
| Short-circuit protected outputs | ✓              |
| I/O connection type             | Screw          |
| Number of I/O connectors        | 1              |
| Detachable I/O connector        | ✓              |
| Suitable for safety functions   | ✗              |
| Number of IOV (V+) terminals    | 1              |
| Number of IOG (V-) terminals    | 1              |
| Number of COM terminals         | 0              |
| Product Height (unpacked)       | 90 mm          |
| Product Width (unpacked)        | 31 mm          |
| Product Depth (unpacked)        | 89 mm          |
| Product Weight (unpacked)       | 64 g           |

## CAD Library



### CJ1W-OC/OA/OD Datasheet

EN PDF 3.98 MB



### CJ2 CPU Units Hardware Users Manual

EN PDF 8.4 MB



### CJ2-Series Programmable Controller Datasheet

EN PDF 17.9 MB



### EAC Mark removal Discontinuation Notice

EN PDF 221 KB