



NA5-15W101S-V1

Touch screen HMI, 15.4 inch wide screen, TFT LCD, 24bit color, 1280x800 resolution, frame color : Silver

Specifications

Screen diagonal	15.4 in
Number of pixels, horizontal	1280
Number of pixels, vertical	800
Type of display	TFT
Number of colors of the display	16777216
Frame color	Silver
Number of Ethernet ports	2
Number of USB ports	3
Number of RS-232 ports	1
Number of RS-422 ports	0
Number of RS-485 ports	0
Degree of protection (IP), front side	IP65
Width of the front	420 mm
Height of the front	291 mm
Width of panel cutout	391 mm
Height of panel cutout	267 mm
Built-in depth	63.1 mm
Product Weight (unpacked)	3200 g

Accessories



FZ-MEM16G

Accessory FH, USB memory 16G

HMC-SD293

SD memory card, 2 GB

HMC-SD493

SD memory card, 4 GB



NA-15WKBA04

Protective cover sheets for NA5 15" HMI (contains 5 sheets)

Spare parts



CJ1W-BAT01

Battery for CJ1M PLCs

CAD Library



EAC Mark removal Discontinuation Notice

EN PDF 221 KB



FDK CR14250SE Battery Safety Datasheet

EN PDF 140 KB



IAG Library for Simple Login Software

EN ZIP 154 KB



Machine Interface NA5- V1 Series Datasheet

EN PDF 8.03 MB



NA Predesigned Objects Software

EN ZIP 2.48 MB



NA Series Programmable Terminal Getting Started Guide

EN PDF 3.8 MB



NA Series Programmable Terminal Device Connection Users Manual

EN PDF 3.13 MB



NA Series Programmable Terminal Software Users Manual

EN PDF 14 MB



NS to NA Replacement Guide Replacement guide

EN PDF 4.93 MB



Omron OEE Standard IAG Software

EN ZIP 18.6 MB




Programmable Terminal NA-series (V1) Users Manual

EN PDF 6.87 MB



Standard IAG Library Operation Manual

EN PDF 4.74 MB



Standard IAGs Software

EN ZIP 9.32 MB



Sysmac Catalogue

EN PDF 43.5 MB



Sysmac: A Fully Integrated Platform Brochure

EN PDF 19.1 MB

TERMS OF WEBSITE USE

This PDF document was created from the European OMRON Industrial Automation website on 29 May, 2025. Click here for [terms of use](#).

OMRON

INDUSTRIAL AUTOMATION | INDUSTRIAL.OMRON.EU