

PSD01-2501

M4000 Standard A/P

SAFETY MULTIBEAM SENSORS





Ordering information

| Number of beams | Beam separation | System part | Туре | Part no. |
|-----------------|-----------------|--------------|------------|----------|
| 2 | 500 mm | Passive unit | PSD01-2501 | 1027907 |

Other models and accessories → www.sick.com/M4000_Standard_A_P

Illustration may differ



Detailed technical data

Features

| Number of beams | 2 |
|-----------------|--------|
| Beam separation | 500 mm |

Mechanics

| Dimensions See dimensional drawing | |
|---|--|
|---|--|

Ambient data

| Vibration resistance | 5 g, 10 Hz 55 Hz (EN 60068-2-6) |
|----------------------|---------------------------------|
| | |

Other information

| Wave length 850 nm |
|--------------------|
|--------------------|

Classifications


| Classifications | | | | |
|-----------------|----------|--|--|--|
| ECLASS 5.0 | 27272703 | | | |
| ECLASS 5.1.4 | 27272703 | | | |
| ECLASS 6.0 | 27272703 | | | |
| ECLASS 6.2 | 27272703 | | | |
| ECLASS 7.0 | 27272703 | | | |
| ECLASS 8.0 | 27272703 | | | |
| ECLASS 8.1 | 27272703 | | | |
| ECLASS 9.0 | 27272703 | | | |
| ECLASS 10.0 | 27272703 | | | |
| ECLASS 11.0 | 27272703 | | | |
| ECLASS 12.0 | 27272703 | | | |
| ETIM 5.0 | EC001832 | | | |
| ETIM 6.0 | EC001832 | | | |
| ETIM 7.0 | EC001832 | | | |
| ETIM 8.0 | EC001832 | | | |


UNSPSC 16.0901


46171620


Dimensional drawing (Dimensions in mm (inch))

Passive unit









Tor Glad Mountaing

Deflector unit

| | | L1 | L2 |
|---|-----|-------|-------|
| 2 | 500 | 643 | 672 |
| 4 | 300 | 1,043 | 1,072 |

Recommended accessories

Other models and accessories → www.sick.com/M4000_Standard_A_P

| | Brief description | Туре | Part no. | |
|---------------------------------|---|------------------------|----------|--|
| Mounting brad | ckets and plates | | | |
| | Description: Mounting kit 1, mounting bracket, rigid, L-shaped, including fixing screws and washers Packing unit: 4 pieces Suitable for: All protective field heights | BEF-3WNGBAST4 | 7021352 | |
| Terminal and alignment brackets | | | | |
| | Description: Mounting kit 6, side bracket, rotatable Material: Zinc diecast Details: Zinc diecast Packing unit: 4 pieces Suitable for: All protective field heights | BEF-1SHABAZN4 | 2019506 | |
| | Description: Mounting kit 12, rotatable, swivel mount Packing unit: 4 pieces Suitable for: All protective field heights | BEF-2SMGEAKU4 | 2030510 | |
| Others | | | | |
| D | Product: Alignment aids Dimensions (W x H x L): 19 mm 67.3 mm 66.9 mm Description: Laser alignment aid for various sensors, laser class 2 (IEC 60825). Do not look into the beam! | AR60 | 1015741 | |
| | Product: Alignment aids Description: Adapter AR60 for M4000 and M4000 Curtain | AR60 adapter, M4000 | 4040006 | |

SICK AT A GLANCE

SICK is one of the leading manufacturers of intelligent sensors and sensor solutions for industrial applications. A unique range of products and services creates the perfect basis for controlling processes securely and efficiently, protecting individuals from accidents and preventing damage to the environment.

We have extensive experience in a wide range of industries and understand their processes and requirements. With intelligent sensors, we can deliver exactly what our customers need. In application centers in Europe, Asia and North America, system solutions are tested and optimized in accordance with customer specifications. All this makes us a reliable supplier and development partner.

Comprehensive services complete our offering: SICK LifeTime Services provide support throughout the machine life cycle and ensure safety and productivity.

For us, that is "Sensor Intelligence."

WORLDWIDE PRESENCE:

Contacts and other locations www.sick.com

