

**Alternate Catalog No. PSTX840-690-70**  
**Catalog No. 1SFA898219R7000**

**Description: SOFTSTARTER**

**UPC No 7320500510414**

**Home > Soft Starters > Softstarter - Open (PSTX)**



**Descriptors**

|          |                           |
|----------|---------------------------|
| Category | Softstarter - Open (PSTX) |
|----------|---------------------------|

**Specifications**

|                                       |               |
|---------------------------------------|---------------|
| Product Type                          | Soft Starters |
| Input Voltage                         | 208-690 V     |
| Control Voltage                       | 100-250 V     |
| Normal Duty: Output Current (A)       | 840           |
| Normal Duty: Motor Power (HP) at 208V | 300           |
| Normal Duty: Motor Power (HP) at 230V | 350           |
| Normal Duty: Motor Power (HP) at 460V | 700           |
| Normal Duty: Motor Power (HP) at 575V | 800           |
| Heavy Duty: Output Current (A)        | 720           |
| Heavy Duty: Motor Power (HP) at 208V  | 250           |
| Heavy Duty: Motor Power (HP) at 230V  | 300           |
| Heavy Duty: Motor Power (HP) at 460V  | 600           |
| Heavy Duty: Motor Power (HP) at 575V  | 700           |
| Power Dissipation In Watts            | 106           |
| Height (Inches)                       | 19.3          |
| Width (Inches)                        | 17.1          |
| Depth (Inches)                        | 14.5          |

**Classifications**

|                |     |
|----------------|-----|
| RoHS Indicator | Yes |
| UL/CUL Listing | Yes |

**Dimensions**

|             |       |
|-------------|-------|
| Weight (lb) | 101.8 |
| Height (mm) | 490   |
| Width (mm)  | 435   |
| Depth (mm)  | 369   |

## Dimensions

|             |      |
|-------------|------|
| Weight (kg) | 46.2 |
|-------------|------|

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[ABB:](#)

[PSTX840-690-70](#)